




Disclosure plans disclaimer

- This plan and the information and diagrams accompanying it ("Information") have been prepared for marketing purposes only.
- All descriptions, dimensions, depictions and other details in this plan may not be to scale.
- The Information may vary from the actual dimensions, layout and characteristics of the lot as completed or registered.
- The vendor reserves the right, without notice, to vary or amend any or all of the Information.
- The vendor, its associates and agents make no representations, warranties,

- promises or otherwise as to the accuracy, reliability, currency or completeness of the Information or that it is representative of the Katherine's Landing Project whether in whole or in part, once completed.
- Prospective purchasers should satisfy themselves as to the accuracy, reliability, currency or completeness of the Information by inspection or otherwise prior to relying on the Information, and where necessary seek independent advice.
- The vendor excludes, to the extent permitted by law, all liability for loss or damage arising from any reliance placed on the Information.

KATHERINE'S

Panding



CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.

LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN

LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET 3.2. SMALL TRADITIONAL LOT TYPE: LOTS 3002, 3005

LOTS 3001, 3003-3004, 3015-3019 3.3. TRADITIONAL LOT TYPE:

3.4. LARGE TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEF AS PER HUNTLEF DESIGN
- COUNTRY LOT OPEN STYLE FENCING EXTENDS BACK ALONG SIDE BOUNDARIES 6m TO JOIN 1.8m HIGH BOUNDARY FENCING BY HUNTLEE

Plot Date: 10/06/2021 327:18 PM



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.

RIGBY DRIVE NORD GROVE -SITE MAP

EASEMENT FOR DRAINAGE OF WATER (15m WIDE)

PRIMARY FRONTAGE CHARACTER ZONE (CZ)

(D1)

NO VEHICULAR ACCESS ELECTRICAL, GAS AND NBN

HOUSE SERVICE STREET LIGHT

STORMWATER PITS WATER METER (DRINKING)

WATER METER (RECYCLED) PROPOSED RETAINING WALL

BUSHFIRE RATINGS (BAL)







KATHERINE'S

Landing



NOTES

- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE:


3.2. SMALL TRADITIONAL LOT TYPE: LOTS 3006-3007, 3010, 3013-3014 3.3. TRADITIONAL LOT TYPE: LOTS 3008-3009, 3011-3012 3.4. LARGE TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEF AS PER HUNTLEF DESIGN
- COUNTRY LOT OPEN STYLE FENCING EXTENDS BACK ALONG SIDE BOUNDARIES 6m TO JOIN 1.8m HIGH BOUNDARY FENCING BY HUNTLEE



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.



LEGEND EASEMENT FOR DRAINAGE OF WATER (15m WIDE)

PRIMARY FRONTAGE CHARACTER ZONE (CZ)

(D1)

NO VEHICULAR ACCESS ELECTRICAL, GAS AND NBN

HOUSE SERVICE STREET LIGHT

STORMWATER PITS WATER METER (DRINKING)

WATER METER (RECYCLED)

BUSHFIRE RATINGS (BAL) 12.5 19 29 40 FZ


PROPOSED RETAINING WALL





KATHERINE'S

Landing



- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET

3.2. SMALL TRADITIONAL LOT TYPE: LOT 3024

LOTS 3021-3023, 3034-3038, 3040 3.3. TRADITIONAL LOT TYPE:

3.4. LARGE TRADITIONAL LOT TYPE: LOTS 3020, 3039 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET

3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAIL BOX IS INSTALLED BY HUNTLEF AS PER HUNTLEF DESIGN
- COUNTRY LOT OPEN STYLE FENCING EXTENDS BACK ALONG SIDE BOUNDARIES 6m TO JOIN 1.8m HIGH BOUNDARY FENCING BY HUNTLEE



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.

RIGBY 7 DRIVE NORD GROVE SITE MAP



LEGEND

EASEMENT FOR DRAINAGE OF (D1) WATER (15m WIDE)

PRIMARY FRONTAGE CHARACTER ZONE (CZ)

NO VEHICULAR ACCESS

ELECTRICAL, GAS AND NBN

HOUSE SERVICE STREET LIGHT

STORMWATER PITS WATER METER (DRINKING) WATER METER (RECYCLED)

PROPOSED RETAINING WALL


BUSHFIRE RATINGS (BAL) 12.5 19 29 40 FZ





KATHERINE'S

Landing



NOTES

- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:


3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET 3.2. SMALL TRADITIONAL LOT TYPE: LOT 3025, 3028 LOTS 3026-3027, 3029-3032 3.3. TRADITIONAL LOT TYPE: 3.4. LARGE TRADITIONAL LOT TYPE: LOT 3033 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEF AS PER HUNTLEF DESIGN
- COUNTRY LOT OPEN STYLE FENCING EXTENDS BACK ALONG SIDE BOUNDARIES 6m TO JOIN 1.8m HIGH BOUNDARY FENCING BY HUNTLEE



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.



LEGEND EASEMENT FOR DRAINAGE OF

(D1) WATER (15m WIDE) PRIMARY FRONTAGE

CHARACTER ZONE (CZ) NO VEHICULAR ACCESS

ELECTRICAL, GAS AND NBN HOUSE SERVICE STREET LIGHT

STORMWATER PITS WATER METER (DRINKING)

WATER METER (RECYCLED) PROPOSED RETAINING WALL

> BUSHFIRE RATINGS (BAL) 12.5 19 29 40 FZ





20030 STG 30 DISCLOSURE PLANS (1).dwg Plot Date: 10/06/2021 30628 PM Sheet 4 of 4

DM MM PD