




Disclosure plans disclaimer

- This plan and the information and diagrams accompanying it ("Information") have been prepared for marketing purposes only.
- All descriptions, dimensions, depictions and other details in this plan may not be to scale.
- The Information may vary from the actual dimensions, layout and characteristics of the lot as completed or registered.
- The vendor reserves the right, without notice, to vary or amend any or all of the Information.
- The vendor, its associates and agents make no representations, warranties,

- promises or otherwise as to the accuracy, reliability, currency or completeness of the Information or that it is representative of the Katherine's Landing Project whether in whole or in part, once completed.
- Prospective purchasers should satisfy themselves as to the accuracy, reliability, currency or completeness of the Information by inspection or otherwise prior to relying on the Information, and where necessary seek independent advice.
- The vendor excludes, to the extent permitted by law, all liability for loss or damage arising from any reliance placed on the Information.

KATHERINE'S

Panding



- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:


3.1. COTTAGE LOT TYPE: 3.2. SMALL TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.3. TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.4. LARGE TRADITIONAL LOT TYPE: LOTS 4301-4305 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK.
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEE AS PER HUNTLEE DESIGN
- ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.



LEGEND

ASSET PROTECTION ZONE 12 WIDE EASEMENT FOR DRAINAGE OF WATER (15m WIDE)

PRIMARY FRONTAGE (P)

CHARACTER ZONE (CZ)

NO VEHICULAR ACCESS

STORMWATER PITS WATER METER (DRINKING)

WATER METER (RECYCLED) PROPOSED RETAINING WALL










KATHERINE'S

Landing



NOTES:

- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN.
- LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET
3.2. SMALL TRADITIONAL LOT TYPE: NOT ON THIS SHEET
3.3. TRADITIONAL LOT TYPE: LOTS 4308-4313
3.4. LARGE TRADITIONAL LOT TYPE: LOTS 4307, 4314
3.5. COUNTRY LOT TYPE: LOT 4306
3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- 5. A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK.
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- 7. COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEE AS PER HUNTLEE DESIGN.
- 8. ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS SUBJECT TO A DETAIL FO DESIGN.



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.

LEGEND ASSET PROTECTION ZONE 12 WIDE (A) EASEMENT FOR DRAINAGE OF WATER (15m WIDE) TRITON PRIMARY FRONTAGE (P) BOULEVARD CHARACTER ZONE (CZ) NO VEHICULAR ACCESS STORMWATER PITS WATER METER (DRINKING) WATER METER (RECYCLED) PROPOSED RETAINING WALL LANCASTER BUSHFIRE RATINGS (BAL) VISTA 12.5 19 29 40 FZ

SITE MAP






VER: 27/09/2022

KATHERINE'S

Landing



- DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:


3.1. COTTAGE LOT TYPE: 3.2. SMALL TRADITIONAL LOT TYPE: LOTS 4318-4319, 4325 3.3. TRADITIONAL LOT TYPE: LOTS 4315-4317, 4320-4324 3.4. LARGE TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK.
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEE AS PER HUNTLEE DESIGN
- ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.



SITE MAP

DM

ASSET PROTECTION ZONE 12 WIDE EASEMENT FOR DRAINAGE OF (D1) WATER (15m WIDE)

PRIMARY FRONTAGE (P) (CZ) CHARACTER ZONE

NO VEHICULAR ACCESS STORMWATER PITS

WATER METER (DRINKING) WATER METER (RECYCLED)

PROPOSED RETAINING WALL

BUSHFIRE RATINGS (BAL)










KATHERINE'S

Landing



CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.

LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN

LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET SMALL TRADITIONAL LOT TYPE: LOT 4339 LOTS 4326-4338 3.3. TRADITIONAL LOT TYPE: 3.4. LARGE TRADITIONAL LOT TYPE: NOT ON THIS SHEET 3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEE AS PER HUNTLEE DESIGN
- ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.

TRITON BOULEVARD пп LANCASTER VISTA

LEGEND

- ASSET PROTECTION ZONE 12 WIDE EASEMENT FOR DRAINAGE OF WATER (15m WIDE)
- PRIMARY FRONTAGE (P) CHARACTER ZONE
- (CZ) NO VEHICULAR ACCESS STORMWATER PITS
- WATER METER (DRINKING) WATER METER (RECYCLED)
 - PROPOSED RETAINING WALL

BUSHFIRE RATINGS (BAL)








KATHERINE'S

Landing



NOTES:

- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:


3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET SMALL TRADITIONAL LOT TYPE LOT 4340 3.3. TRADITIONAL LOT TYPE: LOTS 4341-4351 3.4. LARGE TRADITIONAL LOT TYPE: NOT ON THIS SHEET COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEF AS PER HUNTLEF DESIGN
- ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.



LEGEND

- ASSET PROTECTION ZONE 12 WIDE EASEMENT FOR DRAINAGE OF WATER (15m WIDE)
- PRIMARY FRONTAGE (P) CHARACTER ZONE (CZ)

NO VEHICULAR ACCESS

STORMWATER PITS

WATER METER (DRINKING) WATER METER (RECYCLED)

PROPOSED RETAINING WALL

BUSHFIRE RATINGS (BAL)










KATHERINE'S

Landing



- CONTOURS SHOWN ARE PROPOSED FINISHED SURFACE LEVELS TO THE AUSTRALIAN HEIGHT DATUM (AHD) AT 0.5m INTERVALS.
- LEVELS AND SERVICE LOCATIONS SHOULD NOT BE RELIED UPON FOR DESIGN PURPOSES AND SHOULD BE CONFIRMED PRIOR TO HOUSE DESIGN
- LOT TYPES ARE AS FOLLOWS:

3.1. COTTAGE LOT TYPE: NOT ON THIS SHEET 3.2. SMALL TRADITIONAL LOT TYPE: LOTS 4353-4354 3.3. TRADITIONAL LOT TYPE: LOTS 4352, 4355-4356, 4358 3.4. LARGE TRADITIONAL LOT TYPE: LOT 4357

3.5. COUNTRY LOT TYPE: NOT ON THIS SHEET 3.6. MULTI-DWELLING LOT TYPE NOT ON THIS SHEET

REFER TO THE CESSNOCK DEVELOPMENT CONTROL PLAN (DCP) AND DESIGN GUIDELINES FOR FULL DETAILS OF BUILDING SETBACK REQUIREMENTS RELATING TO EACH LOT TYPE

- PLEASE REFER TO THE DCP AND/OR DESIGN GUIDELINES FOR SETBACK, SITE COVERAGE AND OTHER BUILDING CONTROLS.
- A 1M ARTICULATION ZONE CAN BE PROVIDED WITHIN FRONT SETBACK
- FINAL BUSHFIRE REQUIREMENTS AND BAL RATING SHOULD BE DISCUSSED WITH THE BUILDER. COUNCIL DA MAY REQUIRE A LOT SPECIFIC BUSHFIRE REPORT TO BE PREPARED BY THE THE OWNER TO CONFIRM THE APPLICABLE BAL RATING FOR THE DWELLING.
- COTTAGE LOT FENCING & MAILBOX IS INSTALLED BY HUNTLEE AS PER HUNTLEE DESIGN
- ELECTRICAL, NBN, GAS SERVICE AND ROAD STORMWATER PIT LOCATIONS NOT SHOWN AS



ALL DIMENSIONS AND AREAS ARE SUBJECT TO SURVEY. THE PARTICULARS ON THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY AND SHOULD NOT BE TAKEN AS A REPRESENTATION IN ANY RESPECT ON THE PART OF THE VENDOR OR ITS AGENT.

TRITON BOULEVARD ш LANCASTER VISTA 🗌

LEGEND

- ASSET PROTECTION ZONE 12 WIDE EASEMENT FOR DRAINAGE OF WATER (15m WIDE)
- PRIMARY FRONTAGE (P) CHARACTER ZONE (CZ)

NO VEHICULAR ACCESS

STORMWATER PITS

WATER METER (DRINKING) WATER METER (RECYCLED)

PROPOSED RETAINING WALL

BUSHFIRE RATINGS (BAL) 12.5 19 29 40 FZ



